	INDEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 27 N., R. 68 E., MDM, NEVADA	
CHAINS	Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with brass cap mkd.	
	T27N R68E S 18 S 19	
	1974	
	Foot of Kingsley Mountains, bears N. and S.; desc. 250 ft. over gradual W. slope.	
80.42	Intersect the E. bdy. of sec. 24, T. 27 N., R. 67 E.	
	Point for the closing corner of secs. 18 and 19.	
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., $2\frac{1}{4}$ ins. in the ground, with brass cap mkd.	
	T27N T27N R68E S 24 S 18 CC R67E	
	1974	
	raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.	

From this corner, the cor. of secs. 13 and 24, T. 27 N., R. 67 E., bears N. 0° 14' W., 5.32 chs. dist.

Land, mountainous to rolling. Soil, sandy clay and rocky. Timber, juniper and pinon. Undergrowth, sagebrush.

Point for the W. $\frac{1}{4}$ sec. cor. of sec. 19, on the E. bdy. of sec. 24, T. 27 N., R. 67 E., and at midpoint on the W. bdy. of sec. 19.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

> R68E 4 S 19

1974

raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.

From this corner, the $\frac{1}{4}$ sec. cor. of sec. 24, T. 27 N., R. 67 E., bears N. 0° 14' W., 4.93 chs. dist.