INDEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 28 N., R. 68 E., MDM, NEVADA

	T. 20 N., R. 00 E., MDM, NEVADA
CHAINS 40.00	Point for the 4 sec. cor. of secs. 7 and 18.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T28N R68E
	1 ₄ S 7 S 18
	1975
	raise a mound of stone, 3 ft. base, 2 ft. high, N. of
	cor.
78.67	Intersect the E. bdy. of sec. 13, T. 28 N., R. 67 E.
	Point for the closing corner of secs. 7 and 18.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T28N
	R67E R68E S 13 S 7 C
	s 18 c
	1975
	raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.
	From this corner, the cor. of secs. 12 and 13, T. 28 N., R. 67 E., bears N. 0° 06' W., 11.90 chs. dist.
	Land, nearly level. Soil, sandy clay. Undergrowth, sagebrush, shadscale and greasewood.
	Point for the W. % sec. cor. of sec. 18, on the E. bdy. of sec. 13, T. 28 N., R. 67 E., and at midpoint in latitude on the W. bdy. of sec. 18.
	Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T28N R67E R68E
	Note noon 1 1/4 1s 18
	1975
	raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.
	From this corner, the ½ sec. cor. of sec. 13, T. 28 N., R. 67 E., bears N. 0° 06' W., 11.05 chs. dist.