

DEPENDENT RESURVEY OF THE FOURTH STANDARD PARALLEL NORTH,
THROUGH R. 26 E., MDM, NEVADA

CHAINS	DEPENDENT RESURVEY OF THE FOURTH STANDARD PARALLEL NORTH, THROUGH RANGE 26 EAST, MOUNT DIABLO MERIDIAN, NEVADA
	<p>Reestablishment of the Survey Executed by U.S. Deputy Surveyor William Epler, in 1864, and Resurveyed by U.S. Deputy Surveyor J.B. Menardi, in 1905.</p> <hr/> <p>From the standard cor. of Tps. 21 N., Rs. 26 and 27 E., monumented with an iron post, 2½ ins. diam., firmly set in a mound of stone, 5 ft. base to top, with brass cap mkd. as described in the field notes of T. 21 N., R. 27 E., resurveyed concurrently under this same group.</p> <p>S. 89° 55' W., along the S. bdy. of sec. 36.</p> <p>Over mountainous land, covered with medium greasewood, shadscale and sagebrush; asc. 230 ft. over an E. slope.</p>
14.24	<p>The closing cor. of Tps. 20 N., Rs. 26 and 27 E., monu- mented with an iron post, 2½ ins. diam., firmly set in a mound of stone, 5 ft. base to top, with brass cap mkd. as described in the field notes of T. 20 N., R. 26 E., resurveyed concurrently under this same group.</p> <p>Ascend 50 ft. over E. slope changing to a NE. slope.</p>
27.00	Ridge, bears N. and S.; desc. 330 ft. over W. slope.
39.98	<p>The standard ¼ sec. cor. of sec. 36, monumented with a basalt stone, 16x12x10 ins., firmly set 6 ins. in the ground, mkd. ¼ S 36 on N. face.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 6 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">S C T21N R26E ¼ S 36</p> <p style="text-align: center;">1974</p> <p>deposit the original cornerstone alongside the iron post.</p> <p>From this corner, a boulder, 8x8x6 ft., bears N. 60° W., 88 lks. dist., mkd. X ¼ S36 SC BR.</p> <hr/> <p>S. 89° 56' W., beginning new measurement.</p> <p>Over mountainous land; desc. 70 ft. over W. slope.</p>