

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,
T. 22 N., R. 26 E., MDM, NEVADA

CHAINS	
	<p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 4 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T22N R26E ¼ S 31 T21N R26E</p> <p style="text-align: center;">1974</p> <p>deposit the original cornerstone alongside the iron post.</p> <hr style="width: 20%; margin: auto;"/> <p>WEST, beginning new measurement.</p> <p>Ascend 150 ft. over broken rocky SE. slope.</p>
36.77	<p>The closing corner of Tps. 21 N., Rs. 25 and 26 E., monumented with an iron post, 2½ ins. diam., firmly set and exposed 22 ins. above ground and in a mound of stone, 4 ft. base, mkd. as described in the field notes of the resurvey of T. 21 N., R. 26 E., surveyed concurrently under this same group.</p>
39.60	<p>The cor. of Tps. 22 N., Rs. 25 and 26 E., monumented with a lava stone, 14x8x6 ins., mkd. with 6 grooves on N., E. and W. faces, and T22N on N. face, firmly set in a mound of stone, 4 ft. base.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone, 2 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T22N R25E R26E S 36 S 31 S 1 T21N R25E</p> <p style="text-align: center;">1974</p> <p>deposit the original cornerstone alongside the iron post and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor.</p>
<p>DEPENDENT RESURVEY OF THE EAST BOUNDARY, T. 22 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of the Survey Executed by E. B. Monroe, U.S. Deputy Surveyor, in 1868, and the Resurvey Executed by F. H. Criss, U.S. Deputy Surveyor, in 1901, and the Retracement Executed by W. H. Craigie, U.S. Transitman, in 1911.</p> <hr style="width: 20%; margin: auto;"/>	