

DEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 22 N., R. 26 E., MDM, NEVADA

CHAINS		
	<p style="text-align: center;">T22N S 1 S 12 S 6 CC S 7 R26E R27E</p> <p style="text-align: center;">1911</p>	
40.22	<p>The cor. of secs. 1 and 12, monumented with a lava stone, 16x10x10 ins., mkd. with 5 grooves on S. face and 1 groove on N. face, firmly set in a mound of stone, 3 ft. base.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 16 ins. in the ground and in a mound of stone, 2 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T22N T22N S 1 R27E S 12 S 6 R26E </p> <p style="text-align: center;">1974</p> <p>deposit the original cornerstone alongside the iron post.</p> <hr/> <p>N. 0° 04' W., along E. bdy. of sec. 1.</p> <p>Descend 20 ft. over NW. slope, through shadscale and greasewood.</p>	
3.10	Bottom of descent, drains W.; asc. 70 ft. over SE. slope.	
24.60	Spur, slopes NE.; desc. 80 ft. over NW. slope.	
40.15	<p>The ¼ sec. cor. of sec. 1, monumented with a lava stone, 12x12x8 ins., mkd. ¼ on W. face, firmly set and exposed 8 ins. above ground.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground and in a mound of stone, 3 ft. base to top, with brass cap mkd.</p> <p style="text-align: center;">T22N T22N R26E R27E ¼ S 1 </p> <p style="text-align: center;">1974</p> <p>deposit the original cornerstone alongside the iron post.</p> <hr/>	