

TOWNSHIP 33 NORTH, RANGE 64 EAST, MDM, NEVADA

CHAINS

The following field notes are those of the dependent resurvey of the exterior boundaries and subdivisional lines of Township 33 North, Range 34 East, Mount Diablo Meridian, Nevada.

The boundaries and subdivisional lines were surveyed by U.S. Deputy Surveyors John C. Snyles and Charles S. Preble, in 1880 and 1881 under Contract No. 105.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 18, 1975.

The direction of the lines of this survey were determined by azimuth from BLM Tellurometer Traverse stations established under Group No. 389. The lines were carried forward by sustained angulation.

Prior to restoration of any corners, all necessary lines of the original survey were retraced and diligent search was made for any evidence of the original monuments and other calls of the official record. Identified corners were remonumented in their original positions, lost corners were reestablished at proportionate position based on official record, but not until exhausting every reasonable possibility of finding direct evidence of the control of each corner.

The geographic position of the SE. cor. of the Tp., determined from Tellurometer Traverse under Group No. 389, is at latitude $40^{\circ} 41' 16.146''$ N. and longitude $114^{\circ} 40' 53.041''$ W.

The mean magnetic declination is $17\frac{1}{2}^{\circ}$ east.

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,
T. 33 N., R. 64 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by
J.C. Snyles and C.S. Preble, U.S. Deputy Surveyors,
in 1880 and 1881.

Beginning at the cor. of Tps. 32 and 33 N., Rs. 64 and 65 E., monumented with a squared wooden post, $1\frac{1}{2} \times 1\frac{1}{2} \times 24$ ins., mkd. with illegible scribe mks. and firmly attached to a steel fence post, firmly set and exposed 4 ft. above ground. This corner will now refer to the cor. of Tps. 32 and 33 N., R. 64 E., only.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.