

DEPENDENT RESURVEY OF THE NORTH BOUNDARY,
T. 36 N., R. 34 E., MDM, NEVADA

CHAINS	
	N. 89° 20' W., bet. secs. 6 and 31. Over nearly level land, through shadscale and sagebrush.
39.02	The ¼ sec. cor. of secs. 6 and 31, monumented with an unmarked redwood post, 2x3 ins., 16 ins. long, loosely set in a mound of earth. At the corner point Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd. <div style="text-align: center;"><div>T37N R34E</div><div><div>1/4</div><div>S 31</div><div>S 6</div></div><div>T36N</div></div> <div style="text-align: center;">1976</div> reset the original wooden post and set a steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post.
	<hr/>
	N. 85° 42' W., beginning new measurement. Over nearly level land.
32.61	The cor. of Tps. 36 and 37 N., Rs. 33 and 34 E.
	<hr/>
	DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 36 N., R. 34 E., MOUNT DIABLO MERIDIAN, NEVADA
	<hr/>
	Reestablishment of the Survey Executed by H.B. Maxson, U.S. Deputy Surveyor, in 1888.
	<hr/>
	From the standard cor. of secs. 35 and 36, on the S. bdy. of the Tp. N. 9° 22' W., bet. secs. 35 and 36. Over rolling land, through shadscale; desc. 110 ft. over a N. slope.
12.30	Western Pacific Railroad tracks, bears S. 64° E. and N. 64° W.
30.00	Underground telephone cable, bears ESE. and WNW.
39.44	Point for the ¼ sec. cor. of secs. 35 and 36, at proportionate distance; there is no remaining evidence of the original corner. Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.