

DEPENDENT RESURVEY OF THE EAST BOUNDARY  
T. 29 N., R. 64 E., MDM, NEVADA

CHAINS		
80.20	<p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T29N R64E R65E ¼ S 12   S 7</p> <p style="text-align: center;">1976</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T29N R64E R65E S 1   S 6 S 12   S 7</p> <p style="text-align: center;">1976</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>	
40.10	<p>N. 0° 29' E., bet. secs. 1 and 6.</p> <p>Over rolling land, through scattered greasewood, over gradual S. slope.</p> <p>Point for the ¼ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T29N R64E R65E ¼ S 1   S 6</p> <p style="text-align: center;">1976</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>	
80.20	<p>The cor. of Tps. 29 and 30 N., Rs. 64 and 65 E., monumented with a steel pipe, 2½ ins. diam., exposed 20 ins. above the ground, this is accepted as the best available evidence of the position of the original corner, with plate on top mkd. SE COR T30N R64E FWM &amp; SON.</p>	