Dependent Resurvey, Portion of Subdivisional Lines, T. 32 N., R. 59 E., Mt. Diablo Mer., Nevada

	·	, and the state of
	CHAINS	From the cor. of secs. 1, 2, 11, and 12.
		S. 89° 59' W., bet. secs. 2 and 11.
		Over nearly level land, through dense sagebrush.
;	19.50	Creek, 10 1ks. wide, course S. 55° E.; asc. over gentle E. slope, through scattering mahogany and dense undergrowth.
	39.95	The ½ sec. cor. of secs. 2 and 11, monumented with an iron post, 1 ins. diam., firmly set, protruding 10 ins. above the ground, in a collar of stone, 2½ ft. base, to top, with brass cap mkd.
	·	$\frac{\frac{1}{4}}{1916}$ $\frac{\frac{S}{S}}{11}$ 1916
		Add the marks T32N R59E on the brass cap.
		Cor. falls in a barbed wire fence line, 3 strands, bears N. and S.
		Subdivision of Section 11, T. 32 N., R. 59 E., Mount Diablo Meridian, Nevada
		From the 4 sec. cor. of secs. 11 and 14.
ļ	·	N. 0° 12' W., on the N. and S. center line of sec. 11.
		Asc. over gentle NE. slope, through mahogany timber and dense undergrowth, along fence line.
	1.10	Dry creek, 5 1ks. wide, drains S. 85° E.
	39.81	Point for the center $\frac{1}{4}$ sec. cor. of the E_2^1 of sec. 11, at intersection with the E_2^1 of the E. and W. center line of sec. 11.
	·	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 23 ins. in the ground, with brass cap mkd.
		T 32 N R 59 E C ¹ / ₄ S 11 1976
		Set a steel fence post alongside the iron post.
		Cor. falls 11 lks. N. of and 2 lks. W. of a cor. of fences, fences extending N., S., and E.
	72.60	Top of ascent, slopes E.; desc. along E. slope.
	79.66	The ½ sec. cor. of secs. 2 and 11.
		From the ½ sec. cor. of secs. 11 and 12.
		S. 89° 59' W., on the E_2^1 of the E. and W. center line of sec. 11, on the mean bearing of the N. and S. boundaries of the E_2^1 of sec. 11.
		Over nearly level land, through dense sagebrush, along the N. side of fence line.
	40.03	The center ½ sec. cor. of the E½ of sec. 11.