

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES
T. 36 N., R. 58 E., MDM, NEVADA

CHAINS

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES
T. 36 N., R. 58 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by
Charles C. Tracy, U.S. Deputy Surveyor, in 1869.

From the standard cor. of secs. 35 and 36, on the S. bdy.
of the Tp.

N. $0^{\circ} 18'$ E., bet. secs. 35 and 36.

Over gently rolling land, covered with crested wheatgrass

16.20 Powerline, bears N. $50\frac{1}{4}^{\circ}$ E. and S. $50\frac{1}{4}^{\circ}$ W.

40.14 Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, at propor-
tionate distance; there is no remaining evidence of the
original corner.

Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins
in the ground, with aluminum cap mkd.

T36N R58E
 $\frac{1}{4}$
S 35 | S 36

1976

set a steel fence post, $5\frac{1}{2}$ ft. long, 24 ins. in the
ground, alongside the aluminum post.

76.00 Draw, drains W.

80.28 The cor. of secs. 25, 26, 35 and 36, monumented with the
remains of a willow post, wired to a steel fence post,
 $5\frac{1}{2}$ ft. long, firmly set and exposed $4\frac{1}{2}$ ft. above ground.

At the corner point

Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins
in the ground, with aluminum cap mkd.

T36N R58E
S 26 | S 25
S 35 | S 36

1976

reset the remains of the original wooden post and steel
fence post, 24 ins. in the ground, alongside the
aluminum post.

From the cor. of secs. 25, 30, 31 and 36, on the E. bdy.
of the Tp., monumented with an aluminum post, $2\frac{1}{2}$ ins.
diam., firmly set and exposed 6 ins. above ground, with
aluminum cap mkd. as described in the field notes of
T. 36 N., R. 59 E., executed concurrently under this
same group.