

DEPENDENT RESURVEY OF THE NORTH BOUNDARY,
T. 37 N., R. 58 E., MDM, NEVADA

CHAINS	
	<p>Set an iron post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T38N R58E ¼ $\frac{S\ 31}{S\ 6}$ T37N 1977</p> <p>bury the original cornerstone and reset the steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post, and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <hr/> <p>N. 89° 45' W., beginning new measurement.</p> <p>Over rolling land, covered with sagebrush; descend 180 ft. over a W. slope, along fence.</p>
42.30	<p>The cor. of Tps. 37 and 38 N., Rs. 57 and 58 E., monumented with an iron post, 2½ ins. diam., firmly set and exposed 6 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 37 N., R. 57 E., executed under Group No. 521.</p>
<p>DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 37 N., R. 58 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of the Survey Executed by U.S. Deputy Surveyors D.H. Barker, C.S. Preble and E.C. McClellan, in 1879 and the Resurvey and Survey Executed by U.S. Deputy Surveyor H. Fitzhugh, in 1887.</p>	
	<p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., monumented with an aluminum post 2½ ins. diam., firmly set and exposed 6 ins. above ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 36 N., R. 58 E., executed concurrently under this same group.</p> <p>N. 0° 17' E., bet. secs. 35 and 36.</p> <p>Over gently rolling land, covered with sagebrush.</p>
3.00	<p>Fence corner, from which fences bear E. and N.; along fence.</p>
32.00	<p>Draw, drains SSE.</p>
38.55	<p>The ¼ sec. cor. of secs. 35 and 36, monumented with a willow post, 1x1x19 ins. long, loosely set in a mound of earth and in a fence, bearing N. and S.</p> <p>At the corner point</p>