

INDEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 30 N., R. 68 E., MDM, NEVADA

CHAINS	
42.70	Spur, slopes NNW.; desc. 390 ft. over WSW. slope.
80.02	<p>The cor. of secs. 29, 30, 31 and 32.</p> <p>Land, mountainous. Soil, sandy clay loam and rocky. Timber, juniper and pinon. Undergrowth, sagebrush and bunch grass.</p>
	<p>WEST, bet. secs. 30 and 31.</p>
	<p>Over gently rolling land, through scattered undergrowth; desc. 70 ft. over WSW. slope to the $\frac{1}{4}$ sec. cor.</p>
1.50	Wash, 50 lks. wide, 3 ft. deep, drains SSW.
16.10	Trail road, bears NW. and SE.
40.00	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 30 and 31.</p> <p>Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground to bedrock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.</p>
	<p style="text-align: center;">T30N R68E $\frac{1}{4}$ $\frac{S\ 30}{S\ 31}$</p> <p style="text-align: center;">1977</p> <p>Descend 40 ft. over WSW. slope.</p>
74.98	Intersect the E. bdy. of sec. 36, T. 30 N., R. 67 E.
	Point for the closing corner of secs. 30 and 31.
	<p>Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T30N R67E R68E S 36 $\frac{S\ 30}{S\ 31}$ CC</p> <p style="text-align: center;">1977</p> <p>raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p>
	<p>From this corner, the cor. of secs. 25 and 36, T. 30 N., R. 67 E., bears N. $0^{\circ} 13'$ E., 18.07 chs. dist.</p>
	<p>Land, gently rolling. Soil, sandy clay loam. Undergrowth, sagebrush and shadscale.</p>