

INDEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 30 N., R. 68 E., MDM, NEVADA

CHAINS	
	WEST, bet. secs. 18 and 19.
	Over mountainous land, through scattered timber and undergrowth; asc. slightly over SW. slope.
7.80	Spur, slopes SW.; desc. 500 ft. over W. slope.
36.90	Wash, 20 lks. wide, 2 ft. deep, drains WSW.; desc. slightly over a rolling WSW. slope.
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 18 and 19.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 6 ins. in the ground to bedrock and in a mound of stone, 4 ft. base to top, with aluminum cap mkd.
	$\begin{array}{r} \text{T30N R68E} \\ \frac{1}{4} \frac{\text{S 18}}{\text{S 19}} \end{array}$
	1977
	Over rolling land; desc. 200 ft. over WSW. slope.
74.24	Intersect the E. bdy. of sec. 24, T. 30 N., R. 67 E.
	Point for the closing corner of secs. 18 and 19.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 16 ins. in the ground to bedrock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.
	$\begin{array}{r} \text{T30N} \\ \text{R67E R68E} \\ \text{S 24} \left \begin{array}{l} \text{S 18} \\ \text{S 19} \end{array} \right. \text{CC} \end{array}$
	1977
	From this corner, the cor. of secs. 13 and 24, T. 30 N., R. 67 E., bears N. $0^{\circ} 13' \text{ E.}$, 18.37 chs. dist.
	Land, rolling to mountainous.
	Soil, sandy clay loam and rocky.
	Timber, juniper and pinon.
	Undergrowth, sagebrush, shadscale and bunch grass.
	Point for the W. $\frac{1}{4}$ sec. cor. of sec. 19 is on the E. bdy. of sec. 24, T. 30 N., R. 67 E., and at midpoint bet. the closing cors.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with aluminum cap mkd.
	$\begin{array}{r} \text{T30N} \\ \text{R67E R68E} \\ \left \frac{1}{4} \right. \\ \left \text{S 19} \right. \end{array}$
	1977
	raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.
	From this corner, the $\frac{1}{4}$ sec. cor. of sec. 24, T. 30 N., R. 67 E., bears N. $0^{\circ} 13' \text{ E.}$, 18.30 chs. dist.