		De	pend	lent	Re	surv	ey, S.	Bdy.,	
Τ.	33	N.,	R.	56	Ε.,	Mt.	Diablo	Mer.,	Nevada

-		
	CHAINS	
	40.18	Point for the ¼ sec. cor. of secs. 6 and 31, at proportionate dist. There is no remaining evidence of the original cor.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 23 ins. in the ground, with brass cap mkd.
		T 33 N R 56 E 1/4 S 31 S 6 T 32 N 1976
		Set a 6 ft. steel fence post alongside the iron post.
	79.57	The cor. of Tps. 32 and 33 N., Rs. 55 and 56 E., monumented in 1974 by Alan S. Boyack, Nevada Registered Land Surveyor, No. 2455, with an iron post, 2 ins. diam., firmly set, protruding 7 ins. above the ground, with brass cap mkd.
		T 33 N R 55 E R 56 E S 36 S 31 S 1 S 6 T 32 N RLS 2455 1974
		Alongside the iron post is a steel fence post, protruding $4\frac{1}{2}$ ft. above the ground, with a fragment of willow stake wired to its bottom.
		There is no remaining evidence of the original monument. Boyack's monument is locally recognized, harmoniously related to the original record, and is accepted as the best available evidence of the original cor. position.
		This cor. falls in a barbed wire fence bearing E. and W.
		Dependent Resurvey of a Portion of the West Boundary, T. 33 N., R. 56 E., Mount Diablo Meridian, Nevada
		(Restoring a portion of the 1868 survey by C.C. Tracy, U.S. Deputy Surveyor)
		From the cor. of Tps. 32 and 33 N., Rs. 55 and 56 E.
		N. 2° 21' E., bet. secs. 31 and 36.
		Over nearly level land, over cultivated field.
	39.825	Point for the 4 sec. cor. of secs. 31 and 36, at proportionate dist. There is no remaining evidence of the original cor.
	, , , , , , , , , , , , , , , , , , ,	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
1		1