

Dependent Resurvey, Portion Subdivisional Lines,
T. 12 N., R. 56 E., Mt. Diablo Mer., Nevada

CHAINS	
80.76	<p style="text-align: center;">N 1/16 S 6 S 5 1976</p> <p>Set a 6 ft. steel fence post alongside the iron post.</p> <p>The cor. of secs. 5, 6, 31, and 32, monumented with an 8 penny nail, described in the field notes of the dependent resurvey of a portion of the S. bdy. of T. 13 N., R. 56 E., of this assignment.</p>
	<p style="text-align: center;">Subdivision of Section 5, T. 12 N., R. 56 E., Mount Diablo Meridian, Nevada</p>
20.08	<p>From the $\frac{1}{4}$ sec. cor. of secs. 5 and 8, hereinbefore described.</p> <p>N. $0^{\circ}36'$ W., on the N. and S. center line of sec. 5.</p> <p>Over rolling hills, slope generally W., through moderate sagebrush.</p> <p>Point for the center S. $\frac{1}{16}$ sec. cor. of sec. 5, falls 10 lks. S. of center of a paved road, 30 lks. wide, bears N. 76° E. and S. 76° W. Set a railroad spike flush with paved surface.</p> <p>from which</p> <p style="padding-left: 40px;">An iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., set 7 ins. in the ground, in a mound of stone, 4 ft. base to top, for a reference monument, bears E., 66.7 lks. dist., with brass cap mkd. CS 1/16 S5 RM 44 FT TO COR 1976 and an arrow pointing to the cor.</p> <p style="padding-left: 40px;">An iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., set 2 ins. in the ground, in a mound of stone, 4 ft. base to top, for a reference monument, bears S., 19.7 lks. dist., with brass cap mkd. CS 1/16 S5 RM 13 FT TO COR 1976 and an arrow pointing to the cor.</p>
37.70	<p>Nevada State Highway No. 20, paved, 50 lks. wide, in a curve, bears N. 20° W. and S. 20° E.</p>
40.16	<p>Point for the center $\frac{1}{4}$ sec. cor. of sec. 5, at intersection with the E. and W. center line.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 12 N R 56 E C $\frac{1}{4}$ S 5 1976</p> <p>Set a 6 ft. steel fence post alongside the iron post.</p>
54.46	<p>Point selected for the witness cor. to the center N. $\frac{1}{16}$ sec. cor. of sec. 5.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>