

DEPENDENT RESURVEY OF THE WEST BOUNDARY,
T. 12 N., R. 44 E., MDM, NEVADA

CHAINS		
	<p>From this corner, the (Gurnee) $\frac{1}{4}$ sec. cor. of secs. 7 and 12, monumented with a basalt stone, 10 x 7 x 3 ins., plainly mkd. $\frac{1}{4}$ on the W. face, firmly set and exposed 5 ins. above the ground, bears S. $83^{\circ} 11' W.$, 10.98 chs. dist. Add the marks AM and bury the cornerstone 4 ins. below the surface of the ground.</p>	
73.90	Bladed road, bears NE. and SW.	
80.06	<p>Point for the cor. of secs. 1, 6, 7 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long. $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>	
	<p style="text-align: center;">T12N R43E R44E S 1 S 6 S 12 S 7</p> <p style="text-align: center;">1976</p> <p>set a steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post.</p>	
	<p>From this corner, the (Gurnee) cor. of secs. 1, 6, 7 and 12, monumented with a basalt stone, 14 x 3 x 3 ins., plainly mkd. with 1 notch on the N. edge, firmly set and exposed 6 ins. above the ground, bears S. $83^{\circ} 26' W.$, 11.24 chs. dist. Add the marks AM and bury the cornerstone 4 ins. below the surface of the ground.</p>	
	<p>N. $0^{\circ} 26' E.$, bet. secs. 1 and 6.</p> <p>Over nearly level land, through sagebrush and buckthorn brush.</p>	
1.90	Bladed road, bears NE. and SW.	
40.03	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 6, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>	
	<p style="text-align: center;">T12N R43E R44E $\frac{1}{4}$ S 1 S 6</p> <p style="text-align: center;">1976</p> <p>raise a mound of stone, $3\frac{1}{2}$ ft. base, 2 ft. high, W. of cor.</p>	
	<p>From this corner, the (Gurnee) $\frac{1}{4}$ sec. cor. of secs. 1 and 6, monumented with a basalt stone, 12 x 5 x 3 ins., plainly mkd. $\frac{1}{4}$ on the W. face, firmly set and exposed 6 ins. above the ground, bears S. $84^{\circ} 10' W.$, 11.49 chs. dist. Add the marks AM and bury the cornerstone 6 ins. below the surface of the ground.</p>	