DEPENDENT H	REST	JRVEY	OF	THE	FIRST	. S.	PANDARI	PAR.	ALLEL	SOUTH
THROUGH	ΙA	PORT1	ОИ	OF	RANGE	55	EAST,	MDM,	NEVAI)A

	THROUGH A PORTION OF RANGE 55 EAST, MDM, NEVADA
CHAINS	S. 89° 50' W., along the S. bdy. of sec. 31.
	Over rolling land, through scattered sagebrush; desc. 80 ft. over W. slope.
40.71	Point for the standard % sec. cor. of sec. 31, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground to bedrock and in a collar of stone to cap, 3 ft. base, with brass cap mkd.
	SC T4S R55E ½ S 31
	1977
	set a steel fence post, 5 ft. long, 18 ins. in the ground, alongside the iron post.
	Desc. 60 ft. over rolling W. slope.
81.42	The original standard cor. of Tps. 4 S., Rs. 54 and 55 E., monumented with a sandstone, 12x10x8 ins., firmly set in a mound of stone and exposed 8 ins. above the ground, plainly mkd. with 6 grooves on N., E. and W. faces.
	At the corner point
	Set an iron post, 28 ins. long, 2½ ins. diam., 18 ins. in the ground to bedrock and in a collar of stone to cap, 3 ft. base, with brass cap mkd.
	SC T4S R54E R55E S 36 S 31
	1977
	bury the cornerstone and set a steel fence post, 5 ft. long, 18 ins. in the ground, alongside the iron post.
	DEPENDENT RESURVEY OF THE FIRST STANDARD PARALLEL SOUTH, THROUGH A PORTION OF RANGE 54 EAST, MOUNT DIABLO MERIDIAN, NEVADA
	Reestablishment of a portion of the Survey Executed by Reilly and Magee, U.S. Deputy Surveyors, in 1881.
	S. 89° 48' W., along the S. bdy. of sec. 36.
	Over rolling land, through scattered sagebrush; desc. 150 ft. over W. slope.
40.71	Point for the standard 4 sec. cor. of sec. 36, at proportionate distance; there is no remaining evidence of the original corner.