

SURVEY OF THE SOUTH BOUNDARY
T. 7 S., R. 56 E., MDM, NEVADA

CHAINS	
	<p style="text-align: center;">T7S R56E $\frac{1}{4} \frac{S 32}{S 5}$ T8S</p> <p style="text-align: center;">1977</p> <p>set a steel fence post, 5 ft. long, 2 ft. in the ground, alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <p>Desc. 60 ft. over gradual W. slope to sec. cor.</p>
59.70	Trail road, bears NE. and SW.
80.00	<p>Point for the cor. of secs. 5, 6, 31 and 32, North 19.2 lks. from the tangent.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R56E $\frac{S 31 S 32}{S 6 S 5}$ T8S</p> <p style="text-align: center;">1977</p> <p>set a steel fence post, 5 ft. long, 2 ft. in the ground, alongside the iron post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <p>Land, gently rolling. Soil, sandy clay and rocky. Undergrowth, greasewood and Joshua trees.</p>
40.00	<p>WEST, bet. secs. 6 and 31, on a transit line describing the tangent, which bears S. 89° 56.7' W.</p> <p>Over gently rolling land, through scattered undergrowth; desc. 50 ft. over gradual W. slope.</p> <p>Point for the ¼ sec. cor. of secs. 6 and 31, North 23.3 lks. from the tangent.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R56E $\frac{1}{4} \frac{S 31}{S 6}$ T8S</p> <p style="text-align: center;">1977</p> <p>set a steel fence post, 5 ft. long, 2 ft. in the ground, alongside the iron post.</p>