## DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 35 N., R. 67 E., MDM, NEVADA

T. 35 N., R. 67 E., MDM, NEVADA		
	CHAINS	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
		T35N R67E  1 S 3 4 S 10
		1978
		set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.
	80.38	The cor. of secs. 3, 4, 9 and 10.
		N. 0° 51' E., bet. secs. 3 and 4.
		Over gently rolling land, covered with sagebrush and native grass.
	50.91	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the original corner.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
		T35N <sub>1</sub> R67E
		S 4 S 3
	,	1978
	·	set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.
	106.66	Intersect the Seventh Standard Parallel North.
		Point for the closing cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the orignal corner.
		Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
		T36N R67E  S 33 S 4 S 3 CC T35N R67E
		1978
		set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.