

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 65 E., MDM, NEVADA

CHAINS	DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 38 N., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA
	<div>Reestablishment of a Portion of the Survey Executed by D.H. Barker and J.H. Eaton, U.S. Deputy Surveyors, in 1879 and 1880.</div> <div>From the cor. of secs. 35 and 36, on the S. bdy. of the Tp. N. 0° 40' W., bet. secs. and 36. Over mountainous land, through medium sagebrush and bunchgrass; asc. 30 ft. over SE. slope.</div> <div>12.00 Spur, slopes SW.; desc. 80 ft. over WNW. slope.</div> <div>25.00 Draw, drains SW.; asc. 250 ft. over SSW. slope.</div> <div>40.18 Point for the $\frac{1}{4}$ sec. cor. of secs. 35 and 36, at proportionate distance; there is no remaining evidence of the original corner. Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd. T38N R65E $\frac{1}{4}$ S 35 S 36 1978 set a steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post. Ascend 70 ft. over SSW. slope.</div> <div>47.50 Ridge, bears NW. and SE.; desc. 300 ft. over NNE. slope changing to a broken E. slope.</div> <div>80.36 Point for the cor. of secs. 25, 26, 35 and 36, at proportionate distance; there is no remaining evidence of the original corner. Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd. T38N R65E S 26 S 25 S 35 S 36 1978 set a steel fence post, 6 ft. long, 22 ins. in the ground, alongside the iron post.</div>