

DEPENDENT RESURVEY OF THE  
SECOND STANDARD PARALLEL NORTH,  
THROUGH A PORTION OF R. 46 E., MDM, NEVADA

CHAINS

DEPENDENT RESURVEY OF THE  
SECOND STANDARD PARALLEL NORTH,  
THROUGH A PORTION OF RANGE 46 EAST,  
MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by  
D.H. Barker, U.S. Deputy Surveyor, in 1874,  
and the Resurvey Executed by  
Emil Voigt, Cadastral Engineer,  
J.W. Hardison and J.G. Dyer, Public Land Surveyors,  
in 1938.

From the standard cor. of Tps. 11 N., Rs. 46 and 47 E.,  
monumented with the decayed remains of a wooden post, 1  
in. square, 12 ins. long, with no scribe marks visible,  
loosely set in a mound of earth.

At the corner point

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 22 ins.  
in the ground, with brass cap mkd.

SC  
T11N  
R46E R47E  
S 36 | S 31

1979

Reset the decayed remains of the original wooden post  
alongside the iron post and raise a mound of stone, 3  
ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

N.  $88^{\circ} 43'$  W., along the S. bdy. of sec. 36.

Over nearly level land, covered with medium rabbitbrush,  
sagebrush and native grass.

11.50 The closing cor. of Tps. 10 N., Rs. 46 and 47 E.,  
monumented with an iron post,  $2\frac{1}{2}$  ins. diam., firmly set  
showing 6 ins. above ground, with brass cap mkd. as  
described in the field notes of the dependent resurvey  
of T. 10 N., R. 46 E., executed concurrently under this  
same group.

39.92 Point for the standard  $\frac{1}{4}$  sec. cor. of sec. 36, at  
proportionate distance; there is no remaining evidence  
of the original corner.

Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins.  
in the ground, with brass cap mkd.

SC  
T11N R46E  
 $\frac{1}{4}$  S 36

1979

Raise a mound of stone, 3 ft. base,  $1\frac{1}{2}$  ft. high, N. of  
cor.