DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 41 N., R. 20 E., MDM, NEVADA

chains 40.18	Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 2, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with aluminum cap mkd.
	T41N R2OE
	$\begin{array}{ccc} & \frac{1}{4} & \\ S & 2 \mid S & 1 \end{array}$
	1981
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.
80.61	The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented with an aluminum post, $2\frac{1}{2}$ ins. diam., firmly set showing 4 ins. above the ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 42 N., R. 20 E., executed concurrently under this same group.
	From the standard cor. of secs. 34 and 35, on the S. bdy. of the Tp.
	N. 0° 50' E., bet. secs. 34 and 35.
	Over gently rolling land, covered with medium sagebrush and native grass.
39.97	Point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
	T41N R20E
	s 34 s 35
	1981
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.
79•94	Point for the cor. of secs. 26, 27, 34 and 35, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.