-

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 41 N., R. 20 E., MDM, NEVADA

27

	T. 41 N., R. 20 E., MDM, NEVADA
CHAINS	0 Trail road, parallels powerline.
52.2	D Powerline, bears S. 15° E. and N. 15° W.
79.14	4 The cor. of secs. 3, 4, 9 and 10.
	N. 0° 17' W., bet. secs. 3 and 4.
	Over nearly level land, covered with medium sagebrush, greasewood, scattered rabbitbrush and native grass.
40.0	Point for the $\frac{1}{4}$ sec. cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
	T41N R20E
	\$ 4 S 3
	1981
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.
80.58	The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented with an aluminum post, $2\frac{1}{2}$ ins. diam., firmly set showing 4 ins. above the ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 42 N., R. 20 E., executed concurrently under this same group.
	From the standard cor. of secs. 32 and 33, on the S. bdy. of the Tp.
	N. 0° 35' E., bet. secs. 32 and 33.
	Over rolling land, covered with medium sagebrush and native grass.
40.16	Point for the $\frac{1}{4}$ sec. cor. of secs. 32 and 33, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
	T41N R20E
	$\frac{1}{4}$ S 321S 33
	1981
	(formerty 9180-7) USDIBLM