DEPENDENT	RESURVEY	OF	THE	SUBDIVISIONAL	LINES,
-----------	----------	----	-----	---------------	--------

	T. 42 N., R. 20 E., MDM, NEVADA				
CHAINS					
	T42N R2OE				
	1 S 20 4 S 29				
	S 29				
	1980				
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.				
80.22	The cor. of secs. 19, 20, 29 and 30.				
	N. 87° 51' W., bet. secs. 19 and 30.				
	Over nearly level land, covered with sagebrush and bunchgrass.				
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 30, at proportionate distance; there is no remaining evidence of the original corner.				
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.				
	T42N R20E				
	1 S 19 4 S 30				
	1980				
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.				
78.89	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., monumented with an aluminum post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above the ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 42 N., R. 19 E., executed concurrently under this same group.				
	From the cor. of secs. 19, 20, 29 and 30.				
	N. 0° 27' E., bet. secs. 19 and 20.				
	Over gently rolling land, covered with sagebrush and bunchgrass.				
40.34	Point for the $\frac{1}{4}$ sec. cor. of secs. 19 and 20, at proportionate distance; there is no remaining evidence of the original corner.				
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.				
	·				