

350

DEPENDENT RESURVEY OF A PORTION OF  
THE SUBDIVISIONAL LINES,  
T. 42 N., R. 19 E., MDM, NEVADA

CHAINS	<p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 42 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of the Survey Executed by G. W. Garside, U. S. Deputy Surveyor, in 1879.</p> <hr/>	
40.06	<p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp.</p> <p>N. 0° 35' W., bet. secs. 35 and 36.</p> <p>Over nearly level land, covered with sagebrush, bunchgrass, rabbitbrush and greasewood.</p> <p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 35 and 36, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T42N R19E <math>\frac{1}{4}</math> S 35 S 36</p> <p style="text-align: center;">1980</p> <p>Set a steel fence post, 5<math>\frac{1}{2}</math> ft. long, alongside the aluminum post.</p>	
61.00	Trail road, bears WNW. and ESE.	
80.12	<p>Point for the cor. of secs. 25, 26, 35 and 36, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, 2<math>\frac{1}{2}</math> ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T42N R19E <u>S 26 S 25</u> S 35 S 36</p> <p style="text-align: center;">1980</p> <p>Set a steel fence post, 5<math>\frac{1}{2}</math> ft. long, alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>	
	<hr/> <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp.</p> <p>S. 89° 10' W., bet. secs. 25 and 36.</p> <p>Over nearly level land, covered with sagebrush, rabbitbrush and bunchgrass.</p>	