DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 26 N., R. 43 E., MDM, NEVADA

	T. 26 N., R. 43 E., MDM, NEVADA
CHAINS 40.39	Point for the $\frac{1}{4}$ sec. cor. of secs. 6 and 7, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T26N R43E
	1 S 6 S 7
	1980
	Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.
80.68	The cor. of secs. 6 and 7, on the W. bdy. of the Tp.
	From the cor. of secs. 5, 6, 7 and 8.
	N. 0° 05' E., bet. secs. 5 and 6.
	Over nearly level land, covered with sagebrush and native grass.
40.25	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6, at proportionate distance; there is no remaining evidence of the original corner.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.
	T26N R43E
	s 6 s 5
	1980
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
69.80	Wash, 10 1ks. wide, 2 ft. deep, drains ESE.
80.92	The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., monumented with an iron post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 27 N., R. 43 E., resurveyed concurrently under this same group.