

DEPENDENT RESURVEY OF THE EAST BOUNDARY,  
T. 39 N., R. 52½ E., MDM, NEVADA

CHAINS

Bury the original cornerstone and set a steel fence post, 5½ ft. long, 16 ins. in the ground, alongside the iron post.

DEPENDENT RESURVEY OF THE NORTH BOUNDARY,  
T. 39 N., R. 53 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by  
T. H. Lowe, U. S. Deputy Surveyor,  
in 1900.

From the cor. of Tps. 39 and 40 N., Rs. 53 and 54 E., monumented with an iron post, 2½ ins. diam., firmly set and exposed 6 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 39 N., R. 54 E., executed under Group No. 404.

S. 89° 58' W., bet. secs. 1 and 36.

Over mountainous land, through sagebrush; desc. 200 ft. over W. slope.

10.00 Draw, drains S.; asc. 280 ft. over E. slope.

39.98 The ¼ sec. cor. of secs. 1 and 36, monumented with a basalt stone, 12x12x8, plainly mkd. ¼ on the N. face, firmly set in a mound of stone, with steel fence post firmly set alongside.

At the corner point

Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.

$$\begin{array}{r} \text{T40N R53E} \\ \text{S 36} \\ \hline \frac{1}{4} \text{ S 1} \\ \text{T39N} \end{array}$$

1980

Bury the original cornerstone and reset the steel fence post, 3 ft. long, 24 ins. in the ground, alongside the aluminum post. Rebuild the mound of stone, 3 ft. base, 2 ft. high, N. of cor.

N. 89° 56' W., beginning new measurement.

Over mountainous land; desc. 80 ft. over S. slope.

29.70 Spur, slopes SW.; desc. 200 ft. over W. slope.

39.89 The cor. of secs. 1, 2, 35 and 36, monumented with a quartzite stone, 12x6x6 ins., mkd. with 1 groove on the E. face and 5 grooves on the W. face, with a mound of stone to the W.