

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 67 E., MDM, NEVADA

CHAINS 40.58	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 1 and 12, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T38N R67E $\frac{1}{4}$ S 1 S 12</p> <p style="text-align: center;">1980</p> <p>Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.</p>
81.16	<p>The cor. of secs. 1, 2, 11 and 12.</p> <hr/> <p>N. $2^{\circ} 13'$ E., bet. secs. 1 and 2.</p> <p>Over mountainous land, covered with medium pinon pine, scattered juniper, sagebrush, buckbrush, cacti and native grass.</p>
40.84	<p>The $\frac{1}{4}$ sec. cor. of secs. 1 and 2, monumented with a wooden post, 4x4 ins., 18 ins. long, loosely set in a mound of earth, plainly scribed with $\frac{1}{4}$ S on one face.</p> <p>At the corner point</p> <p>Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T38N R67E $\frac{1}{4}$ S 2 S 1</p> <p style="text-align: center;">1980</p> <p>Reset the original wooden post and set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p> <hr/> <p>N. $2^{\circ} 31'$ W., beginning new measurement.</p> <p>Over mountainous land.</p>
41.60	<p>Point for the closing corner of secs. 1 and 2, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p>