INDEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 36 N., R. 26 E., MDM, NEVADA

 	T. 36 N., R. 26 E., MDM, NEVADA
CHAINS	
40.00	Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T36N R26E
	\$ 6 S 5
	. 1979
	Raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.
68.94	Intersect the S. bdy. of sec. 31, T. 37 N., R. 26 E.
	Point for the closing cor. of secs. 5 and 6.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T37N R26E S 31 S 6 S 5 T36N R26E C C
	1981
	Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.
	From this corner, the cor. of secs. 31 and 32, T. 37 N., R. 26 E., bears S. 82° 07' E., 2.98 chs. dist., hereinbefore described.
	Land, level. Soil, sandy clay. Undergrowth, none.
	Point for the N $\frac{1}{4}$ sec. cor. of sec. 5, is on the S. bdy. of sec. 32, T. 37 N., R. 26 E., and at midpoint bet. the closing corners.
	Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.
	T37N R26E
	1 S 5 T36N R26E
	1981
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.
1	1