

TOWNSHIP 37 NORTH, RANGE 61 EAST, MDM, NEVADA

CHAINS

The cor. of secs. 19 and 30, on the W. bdy. of T. 37 N., R. 62 E., identical with a station of the Nevada Planning Division of the Nevada State Highway Department, is at a published geographic position of $41^{\circ} 04' 03.921''$ N. latitude and $115^{\circ} 01' 19.553''$ W. longitude.

The mean magnetic declination was found to be $17\frac{1}{2}^{\circ}$ east.

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 37 N., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of a Portion of the Survey Executed by C. C. Tracy, U. S. Deputy Surveyor, in 1869, and a Portion of the Survey Executed by Henry Thurtell, U. S. Deputy Surveyor, in 1904, and a Portion Retraced and Partially Resurveyed by Newton E. Potter, U. S. Surveyor, in 1915.

From the cor. of secs. 24 and 25, on the E. bdy. of T. 37 N., R. 61 E., monumented with a granite stone, $15 \times 12 \times 8$ ins., plainly mkd. with 2 grooves on the S. face and 4 grooves on the N. face, firmly set in a mound of stone.

At the corner point

Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.

T37N|T37N
S 24|R62E
S 25|S 19
R61E|

1980

Bury the original cornerstone and set a steel fence post, 5 ft. long, 2 ft. in the ground, alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.

From this corner, the cor. of secs. 19 and 30, T. 37 N., R. 62 E., identical with a station of the Nevada Planning Division of the Nevada State Highway Department, monumented with an iron post, 3 ins. diam., exposed 16 ins. above the ground and in a mound of stone, 3 ft. base, with brass cap mkd. as described in the field notes of the retracement and partial resurvey of the W. bdy. of T. 37 N., R. 62 E., executed under Group No. 29, bears $S. 0^{\circ} 15' E.$, 13.81 chs. dist.

$N. 0^{\circ} 54' E.$, along the E. bdy. of sec. 24.