

410

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 28 N., R. 56 E., MDM, NEVADA

CHAINS

T28N R56E
 $\frac{1}{4}$ $\frac{S\ 25}{S\ 36}$

1981

Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

66.22 Intersect the W. bdy. of sec. 30, T. 28 N., R. 57 E.

Point for the closing cor. of secs. 25 and 36, NORTH 0.6 lks. from the tangent.

Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 18 ins. in the ground to bedrock and in a mound of stone to cap, 3 ft. base, with aluminum cap mkd.

T28N
 R56E T28N
 CC $\frac{S\ 25}{S\ 36}$ | S 30
 R57E

1981

From this corner, the cor. of secs. 30 and 31, T. 28 N., R. 57 E., hereinbefore described, bears SOUTH, 2.47 chs. dist.

Land, mountainous.
 Soil, loam and gravelly.
 Timber, none; undergrowth, sagebrush.

Point for the E. $\frac{1}{4}$ sec. cor. of sec. 36, is at midpoint bet. the closing cors. and on the W. bdy. of sec. 31, T. 28 N., R. 57 E.

Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground to bedrock and in a mound of stone to cap, 4 ft. base, with aluminum cap mkd.

T28N
 R56E R57E
 $\frac{1}{4}$ |
 S 36 |

1981

From this corner, the W. $\frac{1}{4}$ sec. cor. of sec. 31, T. 28 N., R. 57 E., hereinbefore described, bears SOUTH, 2.81 chs. dist.

From the $\frac{1}{4}$ sec. cor. of secs. 24 and 25.

EAST, bet. secs. 24 and 25, on a transit line describing the tangent.

Over mountainous land.