

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,
T. 20 N., R. 54 E., MDM, NEVADA

	CHAINS	<p>S. 89° 22' W., beginning new measurement.</p> <p>Over rolling land.</p> <p>2.40 Trail road, bears irregularly ESE. and WNW.</p> <p>7.36 Point for the N. $\frac{1}{4}$ sec. cor. of sec. 6, T. 19 N., R. 54 E., is at proportionate distance and on the S. bdy. of sec. 31.</p> <p>Set an aluminum post, 30 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p>T20N R54E</p> <p>$\frac{1}{4}$ S 6</p> <p>T19N R54E</p> <p>1981</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.</p> <p>40.10 The cor. of Tps. 19 and 20 N., R. 54 E., monumented with a limestone, 19x12x7 ins., plainly mkd. with 6 grooves on the N., S. and E. faces, firmly set in a mound of stone. No iron pipe found.</p> <p>At the corner point</p> <p>Set an aluminum post, 30 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p> T20N</p> <p>T20N R54E</p> <p>R53E S 31</p> <p>S 36 S 6</p> <p>T19N</p> <p>1981</p> <p>Deposit the original cornerstone alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <hr/> <p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 20 N., R. 54 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of the Survey Executed by U. S. Deputy Surveyor W. T. Moran, in 1893, and the Resurvey Executed by U. S. Deputy Surveyor J. W. Fitzpatrick, in 1905.</p> <hr/>
--	--------	---