

08

DEPENDENT RESURVEY OF THE SOUTH BOUNDARY,  
T. 24 N., R. 37 E., MDM, NEVADA

CHAINS

Set an aluminum post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with aluminum cap mkd.

$$\begin{array}{r} \text{T24N R37E} \\ \text{S } 32 \\ \frac{1}{4} \text{---} \\ \text{S } 5 \\ \text{T23N} \end{array}$$

1981

Set a steel fence post, 5 ft. long, alongside the aluminum post.

81.50 Point for the cor. of secs. 5, 6, 31 and 32, at proportionate distance; there is no remaining evidence of the original corner.

Set an aluminum post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with aluminum cap mkd.

$$\begin{array}{r} \text{T24N R37E} \\ \text{S } 31 \text{ | S } 32 \\ \text{S } 6 \text{ | S } 5 \\ \text{T23N} \end{array}$$

1981

Set a steel fence post, 5 ft. long, alongside the aluminum post.

---

N.  $89^{\circ} 38'$  W., bet. secs. 6 and 31.

Over nearly level alkali flat, through scattered greasewood.

6.20 Spring branch, 5 lks. wide, 6 ins. deep, course SW.

11.10 Spring branch, 5 lks. wide, 6 ins. deep, course NW.

40.75 Point for the  $\frac{1}{4}$  sec. cor. of secs. 6 and 31, at proportionate distance; there is no remaining evidence of the original corner.

Set an aluminum post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with aluminum cap mkd.

$$\begin{array}{r} \text{T24N R37E} \\ \text{S } 31 \\ \frac{1}{4} \text{---} \\ \text{S } 6 \\ \text{T23N} \end{array}$$

1981

Set a steel fence post, 5 ft. long, alongside the aluminum post.