

T. 38 N., R. 47 E., MDM, NEVADA		
CHAINS		
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.	
40.90	Rock Creek, 50 lks. wide, 5 ft. deep, drains irregularly S.	
49.90	Rock Creek, 50 lks. wide, 5 ft. deep, drains irregularly S.	
54.50	Rock Creek, 50 lks. wide, 5 ft. deep, drains irregularly S.	
80.98	Point for the cor. of secs. 13, 18, 19 and 24, at proportionate distance; there is no remaining evidence of the original corner.	
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.	
	T38N	
	R46E R47E	
	S 13 S 18 S 24 S 19	
	1001	

1981

Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.

From this corner, the cor. of Tps. 38 and 39 N., Rs. 46 and 47 E., monumented with an aluminum post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 39 N., R. 47 E., executed concurrently under this same Group, bears N. 0° 07' E., 242.94 chs. dist.

The control line was fully retraced and careful search was made for evidence of the intervening corners, which was not recovered.

DEPENDENT RESURVEY OF A PORTION
OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 47 E., MOUNT DIABLO, NEVADA

Reestablishment of a portion the Survey Executed by U_{\bullet} S. Deputy Surveyors

A. J. Hatch, J. H. Eaton and J. C. Smyles, in 1873 and the Survey Executed by E. C. McClellan and E. L. Bridges, U. S. Deputy Surveyors, in 1885.

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp.

N. 0° 29' E., bet. secs. 35 and 36.

Over rolling land, covered with sagebrush and native grass.