

212

DEPENDENT RESURVEY OF A PORTION
OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 47 E., MDM, NEVADA

CHAINS	
	Set a steel fence post, 5½ ft. long, alongside the aluminum post.
79.92	The cor. of secs. 2, 3, 10 and 11.
	<hr/> <p>N. 1° 49' W., bet. secs. 2 and 3.</p> <p>Over gently rolling land, covered with sagebrush and native grass.</p>
19.80	Willow Creek, S. channel, 35 lks. wide, 5 ft. deep, course W.
33.50	Willow Creek, N. channel, 35 lks. wide, 5 ft. deep, course SW.
37.50	Fence, bears E. and W.
40.86	<p>The ¼ sec. cor. of secs. 2 and 3, monumented with a basalt stone, 14x8x6 ins. plainly mkd. ¼ on W. face, firmly set 10 ins. in the ground.</p> <p>At the corner point</p> <p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T38N R47E ¼ S 3 S 2 1981</p> <p>Deposit the original cornerstone alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, W. of cor.</p>
	<hr/> <p>N. 0° 01' E., beginning new measurement.</p> <p>Over gently rolling land.</p>
22.30	Trail road, bears NE. and SW.
40.31	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented with an aluminum post, 2½ ins. diam., firmly set and showing 6 ins. above ground, with an aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 39 N., R. 47 E., executed concurrently under this same Group.</p> <hr/>
	<p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp.</p> <p>N. 1° 21' E., bet. secs. 33 and 34.</p> <p>Over high rolling mountainous land, covered with sagebrush and native grass.</p>