

DEPENDENT RESURVEY OF THE MOUNT DIABLO BASE LINE,
THROUGH A PORTION OF R. 41 E.

CHAINS
80.28

The standard cor. of secs. 31 and 32, monumented with a blue limestone, 12x10x8 ins., plainly mkd. with 5 grooves on the E. face and 1 groove on the W. face, firmly set in a mound of stone.

At the corner point

Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.

SC
T1N R41E
S 31|S 32

1982

Deposit the original cornerstone alongside the aluminum post and raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.

DEPENDENT RESURVEY OF THE WEST BOUNDARY,
T. 1 S., R. 41 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by
A. Ludlum, U.S. Deputy Surveyor,
in 1884.

From the cor. of Tp. 1 S., Rs. 40 and 41 E., monumented with a basalt stone, 10x5x5 ins., firmly set in a mound of stone, plainly mkd. with 6 grooves on the W., N., and E. faces, identical with N.P.D. triangulation station "JOES," as shown on Protraction Diagram No. 154, Unit No. 89. Hereafter, this cor. refers to Tp. 1 S., Rs. 40½ and 41 E., only.

At the corner point

Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.

T1S
R40½E R41E
S 33|S 31
S 6
T2S R41E

1982

Deposit the original cornerstone and set a steel fence post, 5½ ft. long, alongside the aluminum post and raise a mound of stone, 2½ ft. base, 1½ ft. high, N. of cor.

N. 0° 12' W., bet. secs. 31 and 33.

Over gently rolling land, covered with sagebrush and scattered cacti.

8.50 Wash, 50 lks. wide, 1 ft. deep, drains ESE.

29.00 Wash, 100 lks. wide, 1 ft. deep, drains E.