

SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 34 N., R. 69 E., MDM, NEVADA

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T34N R69E

$\frac{1}{4}$ $\frac{S\ 18}{S\ 19}$

1982

Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.

78.65

Intersect the E. bdy. of sec. 24, T. 34 N., R. 68 E.

Point for the closing cor. of secs. 18 and 19, NORTH, 0.9 lks. from the tangent.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T34N

R68E R69E

$S\ 24\ \frac{S\ 18}{S\ 19}\ CC$

1982

Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.

From this corner, the E. $\frac{1}{4}$ sec. cor. of sec. 24, T. 34 N., R. 68 E., hereinbefore described, bears SOUTH, 5.52 chs. dist.

Land; nearly level.

Soil; sandy clay loam.

Undergrowth; sagebrush and native grass.

Point for the W. $\frac{1}{4}$ sec. cor. of sec. 19, is at midpoint bet. the closing cors. and on the E. bdy. of sec. 24, T. 34 N., R. 68 E.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 16 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T34N

R68E R69E

$\frac{1}{4}$
 $S\ 19$

1982

Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.

From this corner, the cor. of secs. 24 and 25, T. 34 N., R. 68 E., hereinbefore described, bears SOUTH, 5.50 chs. dist.