

DEPENDENT RESURVEY OF THE NORTH BOUNDARY,
T. 41 N., R. 48 E., MDM, NEVADA

CHAINS		
	<p>T42N R48E S 32 S 33 S 5 S 4 T41N</p> <p>1983</p> <p>Set a steel fence post, 5½ ft. long, alongside the aluminum post.</p>	
	<p>N. 88° 50' W., bet. secs. 5 and 32.</p> <p>Over rolling land, through scattered sagebrush.</p>	
39.64	<p>Point for the ¼ sec. cor. of secs. 5 and 32, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p>	
	<p>T42N R48E ¼ S 32 S 5 T41N</p> <p>1983</p> <p>Set a steel fence post, 5½ ft. long, alongside the aluminum post.</p>	
56.00	<p>Wash, 20 lks. wide, 3 ft. deep, drains N.</p>	
79.28	<p>Point for the cor. of secs. 5, 6, 31 and 32, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p>	
	<p>T42N R48E S 31 S 32 S 6 S 5 T41N</p> <p>1983</p> <p>Set a steel fence post, 5½ ft. long, alongside the aluminum post.</p>	
	<p>N. 88° 50' W., bet. secs. 6 and 31.</p> <p>Over rolling land, through scattered sagebrush.</p>	
37.90	<p>Improved gravel road, bears NNE. and SSW.</p>	
39.64	<p>Point for the ¼ sec. cor. of secs. 6 and 31, at proportionate distance; there is no remaining evidence of the original corner.</p>	