

DEPENDENT RESURVEY OF THE EAST BOUNDARY,  
T. 41 N., R. 48 E., MDM, NEVADA

CHAINS	
36.90	<p>Bury the original cornerstone and set a steel fence post, 5½ ft. long, alongside the aluminum post.</p> <hr/> <p>N. 0° 19' E., beginning new measurement.</p> <p>Over rolling land.</p> <p>Fence, bears NE. and SW.</p>
41.86	<p>The cor. of Tps. 41 and 42 N., Rs. 48 and 49 E.</p>
<p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 41 N., R. 48 E., MOUNT DIABLO MERIDIAN, NEVADA</p>	
<p>Reestablishment of the Survey Executed by A. J. Hatch and J. H. Eaton, U.S. Deputy Surveyors, in 1873.</p>	
<p>From the cor. of secs. 13, 14, 23 and 24, established at record bearing and distance from the cor. of secs. 11, 12, 13 and 14, there is no remaining evidence of the original corner. This cor. now refers to sec. 14, only.</p>	
<p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 18 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.</p>	
<p>T41N R48E S 14   _____   S 23</p>	
<p>1983</p>	
<p>NORTH, on the E. bdy. of sec. 14.</p>	
<p>Over mountainous land, through scattered sagebrush.</p>	
0.34	<p>The closing cor. of secs. 13 and 23, hereinafter described.</p>
40.00	<p>Point for the ¼ sec. cor. of secs. 13 and 14, at proportionate distance; there is no remaining evidence of the original corner.</p>
<p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p>	
<p>T41N R48E ¼ S 14   S 13</p>	
<p>1983</p>	