

SURVEY OF THE SUBDIVISIONAL LINES,
T. 31½ N., R. 33 E., MDM, NEVADA

CHAINS

From the cor. of secs. 35 and 36, on the S. bdy. of the
Tp.

NORTH, bet. secs. 35 and 36.

Over mountainous land, covered with scattered
undergrowth.

0.86 Intersect the S. bdy. of sec. 35, T. 32 N., R. 33 E.

Point for the closing cor. of secs. 35 and 36.

Set an aluminum post, 30 ins. long, 2½ ins. diam., 12
ins. in the ground to solid rock and in a mound of
stone, 3 ft. base to top, with aluminum cap mkd.

$$\begin{array}{c} \text{T32N R33E} \\ \text{S 35} \\ \hline \text{S 35 | S 36} \\ | \\ \text{CC} \\ \text{T31½N R33E} \end{array}$$

1983

From this corner, the standard cor. of secs. 35 and 36,
T. 32 N., R. 33 E., bears N. 88° 36' E., 1.17 chs. dist.

Land, mountainous.

Soil, rocky clay.

Undergrowth, juniper, shadscale, sagebrush and native
grass.

Point for the N. ¼ sec. cor. of sec. 36, determined due
NORTH of the S. ¼ sec. cor. of sec. 36 to an
intersection with the S. bdy. of sec. 36, T. 32 N., R.
33 E.

Set an aluminum post, 30 ins. long, 2½ ins. diam., 24
ins. in the ground, with aluminum cap mkd.

$$\begin{array}{c} \frac{1}{4} \text{ S 36} \\ \hline \text{T31½N R33E} \end{array}$$

1983

Raise a mound of stone, 3 ft. base, 2 ft. high, S. of
cor.

From this corner, the standard ¼ sec. cor. of sec. 36,
T. 32 N., R. 33 E., bears N. 89° 17' E., 1.95 chs. dist.