## DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 28 N., R. 51 E., MDM, NEVADA

		1. ZO N., R. DI E., FIDM, MEVADA
CH	IAINS	T28N R51E S 26   S 25 S 35   S 36
		1985
		Reset the original wooden post and set a steel fence post, 5½ ft. long, alongside the aluminum post.
		EAST, bet. secs. 25 and 36.
		Over rolling land, covered with sagebrush and native grass.
39	98	The ½ sec. cor. of secs. 25 and 36, monumented with a wooden post, 3 ins. square, 24 ins. long, loosely set in a mound of earth and plainly mkd. ½ on N. face.
		At the corner point
		Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
		T28N R51E S 25
		$\frac{s}{4}$ $\frac{5}{s}$ $\frac{25}{36}$
		1985
		Reset the original wooden post alongside the aluminum post.
	÷	EAST, beginning new measurement.
		Over rolling land.
12	2.70	Spur, projects N.
35	.66	Intersect the W. bdy. of sec. 30, T. 28 N., R. 52 E.
		Point for the closing cor. of secs. 25 and 36.
		Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
		T28N R51E R52E
		$cc\frac{s}{s}\frac{25}{36} s $ 30
		1985
		Set a steel fence post, 5½ ft. long, alongside the aluminum post.
		From this corner, the cor. of secs. 30 and 31, T. 28 N., R. 52 E., monumented with an aluminum post, 2½ ins. diam., firmly set and showing 6 ins. above ground, with aluminum cap mkd. as described in the field notes of the dependent resurvey of T. 28 N., R. 52 E., executed concurrently under this same Group, bears S. 0° 10' E., 5.19 chs. dist.
1		