

TOWNSHIP 36 NORTH, RANGE 50 EAST, MDM, NEVADA

CHAINS

The mean magnetic declination was found to be $17\frac{1}{2}^{\circ}$ East.

DEPENDENT RESURVEY OF THE WEST BOUNDARY,
T. 36 N., R. 51 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by
T. K. Stewart, U.S. Deputy Surveyor, in 1884.

The standard cor. of T. 36 N., R. 51 E., monumented with an iron post, 3 ins. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of T. 35 N., R. 51 E., executed under Group No. 27.

NORTH, along the W. bdy. of sec. 31.

Over mountainous land, covered with sagebrush, buckbrush, native grass and aspen.

- 4.70 Spur, projecting E.
- 15.00 Ravine, drains E.
- 15.20 The closing cor. of secs. 27 and 34, T. 36 N., R. 50 E., hereinafter described.
- 25.60 Spur, projecting E.
- 38.06 Point for the W $\frac{1}{4}$ sec. cor. of sec. 31, at proportionate distance; there is no remaining evidence of the original corner.
- Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.
- T36N
R50E R51E
| $\frac{1}{4}$
| S 31

1986
- Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.
- 41.20 Creek, 10 lks. wide, 1 ft. deep, course SSE.
- 53.65 The E $\frac{1}{4}$ sec. cor. of sec. 27, T. 36 N., R. 50 E., hereinafter described.
- 76.12 The cor. of secs. 30 and 31, monumented with an iron pipe, 1 in. diam., firmly set showing 12 ins. above ground, plainly mkd. with 1 notch on S. edge and 5 notches on N. edge. This iron pipe is accepted as a careful and faithful determination of the position of the corner.
- At the corner point
- Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.