

DEPENDENT RESURVEY OF THE NORTH BOUNDARY,  
T. 36 N., R. 50 E., MDM, NEVADA

CHAINS	<p>From this corner, the cor. of secs. 6 and 7, T. 36 N., R. 51 E., hereinbefore described, bears S. 1° 06' E., 16.27 chs. dist.</p>
	<p>DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES T. 36 N., R. 50 E., MOUNT DIABLO MERIDIAN, NEVADA</p>
	<p>Reestablishment of the Survey Executed by A. J. Hatch, J. H. Eaton and J.C. Syles, U.S. Deputy Surveyors, in 1872 and the Survey Executed by E. C. McClellan and E. L. Bridges U.S. Deputy Surveyors, in 1884</p>
	<p>From the standard cor. of secs. 33 and 34, on the S. bdy. of the Tp.  N. 0° 51' E., bet. secs. 33 and 34.  Over mountainous land, covered with sagebrush, bunchgrass, buckbrush and chokecherry.</p>
18.00	Ravine, drains W.
39.80	Ridge, bears WNW. and ESE.
40.18	<p>Point for the <math>\frac{1}{4}</math> sec. cor. of secs. 33 and 34, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T36N R50E <math>\frac{1}{4}</math> S 33 S 34  1986</p>
	<p>Set a steel fence post, 5½ ft. long, alongside the aluminum post.</p>
80.36	<p>Point for the cor. of secs. 27, 28, 33 and 34, at proportionate distance; there is no remaining evidence of the original corner.</p>
	<p>Set an aluminum post, 30 ins. long, 2½ ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T36N R50E S 28 S 27 S 33 S 34  1986</p>
	<p>Set a steel fence post, 5½ ft. long, alongside the aluminum post.</p>
	<p>This cor. is located on a spur, projecting W.</p>