

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 36 N., R. 50 E., MDM, NEVADA

CHAINS	Over mountainous land, covered with sagebrush, buckbrush, chokecherry and native grass.
2.30	Ravine, drains SW.
13.80	Spur, projects W.
33.40	Ravine, drains WNW.
40.18	Point for the $\frac{1}{4}$ sec. cor. of secs. 21 and 22, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 16 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.
	<p style="text-align: center;">T36N R50E $\frac{1}{4}$ S 21 S 22 1986</p>
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.
41.00	Spur, projects W.
74.40	Ravine, drains WNW.
80.36	Point for the cor. of secs. 15, 16, 21 and 22, at proportionate distance; there is no remaining evidence of the original corner
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, with aluminum cap mkd.
	<p style="text-align: center;">T36N R50E S 16 S 15 $\frac{1}{4}$ S 21 S 22 1986</p>
	N. $89^{\circ} 55'$ E., bet. secs. 15 and 22
	Over mountainous land, covered with sagebrush, buckbrush, chokecherry and native grass.
41.69	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 22, at proportionate distance; there is no remaining evidence of the original corner.
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with aluminum cap mkd.
	<p style="text-align: center;">T36N R50E S 15 $\frac{1}{4}$ S 22 1986</p>
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.