

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 36 N., R. 50 E., MDM, NEVADA

CHAINS		
40.18	Point for the $\frac{1}{4}$ sec. cor. of secs. 15 and 16, at proportionate distance; there is no remaining evidence of the original corner.	
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.	
	<p style="text-align: center;">T36N R50E $\frac{1}{4}$ S 16 S 15 1986</p>	
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.	
41.80	Ridge, bears E. and W.	
80.36	Point for the cor. of secs. 9, 10, 15 and 16, at proportionate distance; there is no remaining evidence of the original corner.	
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.	
	<p style="text-align: center;">T36N R50E S 9 S 10 S 16 S 15 1986</p>	
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.	
<hr/>		
	N. $89^{\circ} 31'$ E., bet. secs. 10 and 15.	
	Over mountainous land, covered with sagebrush, buckbrush, chokecherry and native grass.	
32.30	Spur, projects NNW.	
40.96	Point for the $\frac{1}{4}$ sec. cor. of secs. 10 and 15, at proportionate distance; there is no remaining evidence of the original corner.	
	Set an aluminum post, 30 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with aluminum cap mkd.	
	<p style="text-align: center;">T36N R50E S 10 $\frac{1}{4}$ S 15 1986</p>	
	Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the aluminum post.	
73.90	Trail road on ridge, bears N. and S.	
77.93	Intersect the W. bdy. of sec. 18, T. 36 N., R. 51 E.	