DEPENDENT RESURVEY OF THE FIFTH STANDARD PARALLEL SOUTH, THROUGH A PORTION OF RANGE 59 EAST

_		THROUGH A TOXIZON OF AMILE OF EACH
	CHAINS	Deposit the original cornerstone alongside the stainless steel post.
		S. 89° 45' W., beginning new measurement.
		Over rolling land.
	8.34	The N ¼ sec. cor. of sec. 5, T. 21 S., R. 59 E., monumented with a stainless steel post, 2½ ins. diam., firmly set in a mound of stone, with brass cap mkd. as described in the field notes of T. 21 S., R. 59 E., executed concurrently under this same Group.
	40.48	The standard cor. of secs. 31 and 32, monumented with an iron post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 21 S., R. 59 E., executed under Group No. 362.
		DEPENDENT RESURVEY OF A PORTION OF THE WEST BOUNDARY, T. 20 S., R. 59 E., MOUNT DIABLO MERIDIAN, NEVADA
		Reestablishment of the Survey Executed by J. M. Brunt and W. H. Proctor, U.S. Deputy Surveyors, in 1881.
		From the standard cor. of Tps. 20 S., Rs. 58 and 59 E., monumented with an iron post, 2½ ins. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of the dependent resurvey of T. 21 S., R. 59 E., executed under Group No. 362.
		N. 1°09' W., bet. secs. 31 and 36.
	-	Over rolling to mountainous land, covered with creosote, chaparral and scattered cacti.
	7.00	Ravine, drains SE., enter mountainous land over red rocks.
	33.10	Ridge, bears NW. and SE.
	40.81	Point for the ¼ sec. cor. of secs. 31 and 36, at proportionate distance; there is no remaining evidence of the original corner.
		Set a stainless steel post, 28 ins. long, 2½ ins. diam., on solid rock over a cross (X), in a mound of stone, 4 ft. base to top, with brass cap mkd.
		T20S R58E_R59E
		S 36 S 31
		1987