DEPENDENT RESURVEY OF THE EAST BOUNDARY,
T. 46 N. R. 19 E. MDM. NEVADA

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 8 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, with brass cap mkd.

T46N R19E R20E S 1|S 6

1986

73.20 Ridge, bears E. and W.

78.96

The cor. of Tps. 46 and 47 N., Rs. 19 and 20 E., monumented with a trapstone, 18X10X8 ins., firmly set in a mound of stone and plainly mkd. with 6 grooves on N. and S. faces and 6 notches on E. and W. edges.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground to solid rock and in a mound of stone, 3 ft. base to top, with brass cap mkd.

T47N R19E R20E S 36|S 31 S 1|S 6 T46N

1986

Deposit the original cornerstone and set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the iron post.

DEPENDENT RESURVEY OF THE WEST BOUNDARY, T. 46 N., R. 19 E., MOUNT DIABLO MERIDIAN, NEVADA

Reestablishment of the Survey Executed by C. F. Putnam and W. F. Benson, U.S. Deputy Surveyors, in 1880.

From the standard cor. of Tps. 46 N., Rs. 18 and 19 E.

N. 0 $^{\circ}$ 16 $^{\circ}$ E., bet. secs. 31 and 36.

Over mountainous land, through scattered sagebrush, bunchgrass and juniper.

40.29

Point for the $\frac{1}{4}$ sec. cor. of secs. 31 and 36, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 12 ins. in the ground to solid rock and in a mound of stone, 4 ft. base to top, with brass cap mkd.