DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES, T. 38 N., R. 68 E., MDM, NEVADA

CHAINS

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

CC S 1 S 6 S 12 S 6 R68E R69E

1986

Reset the steel fence post, 3 ft. long, alongside the stainless steel post. $\;$

From this corner, the cor. of secs. 6 and 7, T. 38 N., R. 69 E., monumented with a stainless steel post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of T. 38 N., R. 69 E., executed concurrently under this same Group, bears S. 0° 03' E., 18.19 chs. dist.

From this same corner, the original closing cor. of secs. 1 and 12, monumented with a wooden post, 2X4 ins., 28 ins. long, loosely set in a mound of earth, with illegible scribe marks visible, with a steel fence post firmly set alongside and exposed 24 ins. above the ground, bears N. 81° 48' E., 0.05 chs. dist. This point now becomes an amended monument. Scribe the marks "AM" on the wooden post and bury it alongside the steel fence post.

Point for the E $\frac{1}{4}$ sec. cor. of sec. 12 is at midpoint between the closing cors. and on the W. bdy. of sec. 7, T. 38 N., R. 69 E.

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.

T38N R68E R69E ⅓ S 12|

1986

Set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the stainless steel post.

From this corner, the W $\frac{1}{4}$ sec. cor. of sec. 7, T. 38 N., R. 69 E., monumented with a stainless steel post, $2\frac{1}{2}$ ins. diam., firmly set showing 6 ins. above ground, with brass cap mkd. as described in the field notes of T. 38 N., R. 69 E., executed concurrently under this same Group, bears S. 0° 02' E., 16.00 chs. dist.

From the cor. of secs. 1, 2, 11 and 12.

N. 1° 01' W., bet. secs. 1 and 2.

Over nearly level land, covered with scattered sagebrush, greasewood, shadscale, rabbitbrush and native grass.