

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 68 E., MDM, NEVADA

CHAINS	The $\frac{1}{4}$ sec. cor. of secs. 4 and 9, monumented with the decayed remains of a wooden post, loosely set in a mound of earth, with illegible scribe marks visible.
41.45	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T38N R68E $\frac{1}{4}$ $\begin{array}{r} S \ 4 \\ S \ 9 \end{array}$</p> <p style="text-align: center;">1986</p> <p>Reset the decayed remains of the original wooden post and set a steel fence post, 5 ft. long, alongside the stainless steel post.</p>
41.33	<hr/> <p>N. $88^{\circ} 28'$ W., beginning new measurement.</p> <p>Over rolling land.</p> <p>The cor. of secs. 4, 5, 8 and 9.</p>
25.80	<hr/> <p>N. $8^{\circ} 36'$ E., bet. secs. 4 and 5.</p> <p>Over rolling land, covered with scattered sagebrush, shadscale, cacti and native grass.</p>
40.47	<p>Wash, 25 lks. wide, 2 ft. deep, drains E.</p> <p>The $\frac{1}{4}$ sec. cor. of secs. 4 and 5, monumented with the decayed remains of a wooden post, loosely set in a mound of earth, with illegible scribe marks visible.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T38N R68E $\frac{1}{4}$ $\begin{array}{r} S \ 5 \\ S \ 4 \end{array}$</p> <p style="text-align: center;">1986</p> <p>Reset the decayed remains of the original wooden post and set a steel fence post, $5\frac{1}{2}$ ft. long, alongside the stainless steel post.</p>