

DEPENDENT RESURVEY OF THE SUBDIVISIONAL LINES,
T. 38 N., R. 68 E., MDM, NEVADA

CHAINS	
	<p>S. 88° 43' W., bet. secs. 6 and 7.</p> <p>Over mountainous land, covered with heavy juniper, pinon pine, scattered Brigham tea, mountain mahogany, sagebrush, cacti and native grass.</p>
15.00	<p>Spur, slopes ESE.</p>
40.21	<p>The $\frac{1}{4}$ sec. cor. of secs. 6 and 7, monumented with a limestone, 13X12X5 ins., firmly set 6 ins. in the ground and dimly mkd. $\frac{1}{4}$ on N. face, with a mound of stone to the S.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T38N R68E</p> <p>S 6</p> <p>$\frac{1}{4}$ S 7</p> <p>1986</p> </div> <p>Deposit the original cornerstone and rebuild the mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <hr/>
42.45	<p>S. 89° 30' W., beginning new measurement.</p> <p>Over mountainous land.</p> <p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., monumented with an aluminum post, 2½ ins. diam., firmly set showing 6 ins. above ground, with aluminum cap mkd. as described in the field notes of T. 38 N., R. 67 E., executed under Group No. 582.</p> <hr/>
	<p>From the cor. of secs. 5, 6, 7 and 8.</p> <p>N. 0° 16' E., bet. secs. 5 and 6.</p> <p>Over rolling land, covered with medium juniper, pinon pine, scattered sagebrush, cacti and native grass.</p>
15.10	<p>Spur, slopes E.</p>
38.79	<p>Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6, at proportionate distance; there is no remaining evidence of the original corner.</p>